

Molecular Immunology

**LIST OF CONTENTS, SUBJECT
AND AUTHOR INDEX
FOR VOLUME 34, 1997**



PERGAMON

Molecular Immunology

Board of Regional Editors

Dr HIDDE PLOEGH (Chairman of the Board), *Department of Pathology, Harvard Medical School, 200 Longwood Ave., D2-137, Boston, MA 02115, U.S.A.*

Dr J. DONALD CAPRA, *Oklahoma Medical Research, 825 NE 13th Street, Oklahoma City, OK 73104, U.S.A.*

Dr MICHAEL CARROLL, *Department of Pathology, Harvard Medical School, 200 Longwood Avenue, Boston, MA 02115, U.S.A.*

Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria 3050, Australia*

Dr V. HOREJSI, *Institute of Molecular Genetics, Academy of Sciences of Czech Republic, Videnska 1083, 142 20 Praha, Czech Republic*

Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse 487, CH-4005, Basel, Switzerland*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

C. A. BONA
New York, NY, U.S.A.

GUY BORDENAVE
Paris, France

JOHN E. COLIGAN
Rockville, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

GIAMPIETRO CORRADIN
Lausanne, Switzerland

M. DAERON
Paris, France

M. P. DIERICH
Innsbruck, Austria

DOUGLAS FEARON
Cambridge, U.K.

Z. FISHELSON
Tel Aviv, Israel

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Montpellier, France

J. K. INMAN
Bethesda, MD, U.S.A.

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

HENNING LOWENSTEIN
Horsholm, Denmark

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

KEN PARKER
Bethesda, MD, U.S.A.

JEAN-LOUIS PREUD'HOMME
Poitiers, France

D. J. ROWLANDS
Leeds, U.K.

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

JOHN TROWSDALE
London, U.K.

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Author Service Department: For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department: *e-mail:* authors@elsevier.co.uk; *fax:* +44 (0) 1865 843905; *tel.:* +44 (0) 1865 843900.

Advertising Office: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Production Office: Elsevier Science Ltd, Bampfylde Street, Exeter EX1 2AH, U.K.

Annual Institutional Subscription Rates 1998: Europe, the CIS and Japan 3388.00 Dutch Guilders. All other countries US\$1947.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

For orders, claims, product enquiries (no manuscript enquiries) please contact the Customer Support Department at the Regional Sales Office nearest to you:

The Americas: Elsevier Science Customer Support Department, P.O. Box 945, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730/1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

Japan: Elsevier Science Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+81) 3-5561-5033. Fax: (+81) 3-5561-5047. E-mail: info@elsevier.co.jp].

Asia Pacific (excluding Japan): Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millenia Tower, Singapore 039192 [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg].

Rest of the World: Elsevier Science Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl].

Published monthly plus additional issues in February, April, June, August, October and December.

© 1998 Elsevier Science Ltd. All rights reserved.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Periodicals postage paid at Rahway, NJ and additional entry points. *Molecular Immunology* (ISSN 0161-5890) is published monthly plus additional issues in February, April, June, August, October and December, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is \$1947. *Molecular Immunology* is distributed by Mercury Airfreight International Ltd, 365 Blair Road, Avenel, NJ 07001. Postmaster: please send address corrections to *Molecular Immunology*, c/o Elsevier Science RSO, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A.



ContentsDirect delivers the table of contents of this journal, by e-mail, approximately two to four weeks prior to each issue's publication. To subscribe to this free service send an e-mail message to cds@elsevier.co.uk

CONTENTS OF VOLUME 34

NUMBER 1

- | | | |
|---|----|---|
| C. H. Wu, M. F. Lee, N. M. Wang
and S. F. Luo | 1 | Sequencing and immunochemical characterization of the American cockroach <i>Per a 3</i> (Cr-PI) iso-allergenic variants |
| P. S. Chowdhury, K. Chang and
I. Pastan | 9 | Isolation of anti-mesothelin antibodies from a phage display library |
| A. Cherukuri, G. Durack and
E. W. Voss Jr | 21 | Evidence for hapten recognition in receptor-mediated intracellular uptake of a hapten-protein conjugate by murine macrophage |
| T. G. Johns and C. C. A. Bernard | 33 | Binding of complement component Clq to myelin oligodendrocyte glycoprotein: a novel mechanism for regulating CNS inflammation |
| M. Monestier, C. Stemmer, G. L. Ong
and S. Muller | 39 | Induction of anti-polycation antibodies in H-2 ^s mice by immunization with nuclear antigens |
| M. M. Tutt Landolfi, R. Scollay and
J. R. Parnes | 53 | Specific demethylation of the CD4 gene during CD4 T lymphocyte differentiation |
| B. Sulzer and A. S. Perelson | 63 | Immunons revisited: binding of multivalent antigens to B cells |
| J. F. Piskurich, K. R. Youngman,
K. M. Phillips, P. M. Hempen,
M. H. Blanchard, J. A. France and
C. S. Kaetzel | 75 | Transcriptional regulation of the human polymeric immunoglobulin receptor gene by interferon- γ |
| | 93 | Announcement |
| | 95 | Forthcoming papers |

NUMBER 2

- | | | |
|--|-----|--|
| A.-S. Thøger Andersen, A. W. Jensen,
P. Grant, V. Arulampalam,
S. Pettersson and S. Junker | 97 | Concomitant downregulation of IgH 3' enhancer activity and <i>c-myc</i> expression in a plasmacytoma x fibroblast environment: implications for dysregulation of translocated <i>c-myc</i> |
| J. Tanha, G. Forsyth, P. Schorr,
W. Crosby and J. S. Lee | 109 | Sequence and structure specific antibodies from phage display libraries |
| R. Döffinger, T. C. Klein, M. B. Pepys,
J.-L. Casanova and B. Kyewski | 115 | The MHC class II-restricted T cell response of C57BL/6 mice to human C-reactive protein: homology to self and the selection of T cell epitopes and T cell receptors |
| H. Gur, T. D. Geppert and
P. E. Lipsky | 125 | Structural analysis of class I MHC molecules: the cytoplasmic domain is not required for cytoskeletal association, aggregation and internalization |

J. Robert, I. Chretien, C. Guet and L. Du Pasquier	133	Cross-linking CTX, a novel thymocyte-specific molecule, inhibits the growth of lymphoid tumor cells in <i>Xenopus</i>
J. C. Moore, M. Zauderer, K. Natarajana and P. E. Jensen	145	Peptide binding to mixed isotype A β^d E α^d class II histocompatibility molecules
M. Hervé, B. Maillère, G. Mourier, C. Texier, S. Leroy and A. Ménéz	157	On the immunogenic properties of retro-inverso peptides. Total retro-inversion of T-cell epitopes causes a loss of binding to MHC II molecules
N. Rauffer-Bruyère, J. Chatellier, E. Weiss, M. H. V. Van Regenmortel and D. Altschuh	165	Cooperative effects of mutations in a recombinant Fab on the kinetics of antigen binding
S. Anand, F. D. Batista, T. Tkach, D. G. Efremov and O. R. Burrone	175	Multiple transcripts of the murine immunoglobulin ϵ membrane locus are generated by alternative splicing and differential usage of two polyadenylation sites
L. J. Schlagel, L. Bors, G. W. Mitchell, J. L. King, LiGong Cao, M. Kirk, and J. N. Whitaker	185	Immunological effects of an arginine side chain contaminating synthetically prepared peptides
	195	Announcement
	197	Announcement
	199	Forthcoming papers

NUMBER 3

Ming-Jie Li, W. Chung and N. Maizels	201	Developmental specificity of immunoglobulin heavy chain switch region recombination activities
C. J. Lyon and R. J. Aguilera	209	Purification and characterization of the immunoglobulin switch sequence-specific endonuclease (Endo-SR) from bovine spleen
M. Exley and L. Varticovski	221	Evidence for phosphatidylinositol 3-kinase-dependent T cell antigen receptor (TCR) signal transduction
V. Stephan, A. Seibt, D. Dukanovic, M. Skasa, W. D. Swaim, E. H. Berenstein, R. P. Siraganian and V. Wahn	227	Anti-ganglioside monoclonal antibody AA4 selectively inhibits IgE-induced signal transduction pathways in rat basophilic leukemia cells
J. S. Andris, A. B. Miller, S. R. Abraham, S. Cunningham, F. Roubinet, A. Blancher and J. D. Capra	237	Variable region gene segment utilization in Rhesus monkey hybridomas producing human red blood cell-specific antibodies: predominance of the VH4 family but not VH4-21 (V4-34)
T. Takai, T. Yuuki, Y. Okumura, A. Mori and H. Okudaira	255	Determination of the N- and C-terminal sequences required to bind human IgE of the major house dust mite allergen Der f 2 and epitope mapping for monoclonal antibodies

- T. J. Rogers and L. Zhang** 263 Structural basis for the interaction of superantigen with the alternative superantigen-binding receptor p85
- J. Ochoa-Garay, D. M. McKinney, H. H. Kochounian and M. McMillan** 273 The ability of peptides to induce cytotoxic T cells *in vitro* does not strongly correlate with their affinity for the H-2L^d molecule: implications for vaccine design and immunotherapy
- 283 Announcement
- 285 Forthcoming papers

NUMBER 4

- E. Milia, M. M. Di Somma, M. B. Majolini, C. Olivieri, F. Somma, E. Piccolella, J. L. Telford and C. T. Baldari** 287 Gene activating and proapoptotic potential are independent properties of different CD4 epitopes
- L. Clemenza, B. Subramanian, D. Hourcade, M. Nickells and J. Atkinson** 297 Primary sequence of baboon CR1 demonstrates concerted evolution within the CR1 gene
- R. Rosenquist, J. Lindh, G. Roos and D. Holmberg** 305 Immunoglobulin V_H gene replacements in a T-cell lymphoblastic lymphoma
- D. P. Harris, M. Hill, H.-M. Vordermeier, M. Jones, G. Hewinson, H. Thangaraj and J. Ivanyi** 315 Mutagenesis of an immunodominant T cell epitope can affect recognition of different T and B determinants within the same antigen
- J. W. Brewer and R. B. Corley** 323 Late events in assembly determine the polymeric structure and biological activity of secretory IgM
- N. Koenig, B. Malone, S. Hoch and J. Schwaber** 333 Transcription of germline V_H gene elements by normal human fetal liver
- L. F. Barrera, I. Kramnik, E. Skamene and D. Radzioch** 343 I-A β gene expression regulation in macrophages derived from mice susceptible or resistant to infection with *M. bovis* BCG
- 357 Forthcoming papers

NUMBER 5

- D. B. Winter, N. Sattar, J.-J. Mai and P. J. Gearhart** 359 Insertion of 2 kb of bacteriophage DNA between an immunoglobulin promoter and leader exon stops somatic hypermutation in a κ transgene
- K. M. Tumas-Brundage, K. A. Vora and T. Manser** 367 Evaluation of the role of the 3' α heavy chain enhancer [3' α E(hs1,2)] in V_H gene somatic hypermutation

- N. Ahlborg, F. Sterky, D. Haddad, P. Perlmann, P.-Å. Nygren, R. Andersson and K. Berzins** 379 Predominance of H-2^d- and H-2^k-restricted T-cell epitopes in the highly repetitive *Plasmodium falciparum* antigen Pf332
- K. M. Kroeger, K. S. Carville and L. J. Abraham** 391 The -308 tumor necrosis factor- α promoter polymorphism effects transcription
- M. Tector, Q. Zhang and R. D. Salter** 401 β_2 -Microglobulin and calnexin can independently promote folding and disulfide bond formation in class I histocompatibility proteins
- Xiaoli Li, C. C. Franklin, A. S. Kraft and R. H. Carter** 409 Ligation of membrane IgM stimulates a novel c-Jun amino-terminal domain kinase activity in Daudi human B cells
- S. E. Hiby, A. King, A. M. Sharkey and Y. W. Loke** 419 Human uterine NK cells have a similar repertoire of killer inhibitory and activatory receptors to those found in blood, as demonstrated by RT-PCR and sequencing
- 431 Forthcoming papers

NUMBER 6

- J. A. Cooper, W. Hayman, C. Reed, H. Kagawa, M. F. Good and A. Saul** 433 Mapping of conformational B cell epitopes within alpha-helical coiled coil proteins
- J. P. Mueller, M. A. Giannoni, S. L. Hartman, E. A. Elliott, S. P. Squinto, L. A. Matis and M. J. Evans** 441 Humanized porcine VCAM-specific monoclonal antibodies with chimeric IgG2/G4 constant regions block human leukocyte binding to porcine endothelial cells
- R. S. Soloff, T.-G. Wang, D. Dempsey, S. R. Jennings, R. M. Wolcott and R. Chervenak** 453 Interleukin 7 induces TCR gene rearrangement in adult marrow-resident murine precursor T cells
- A. Solomon, D. T. Weiss, M. Schell, C. Ringelberg, L.-Y. Ch'ang and M. L. Klebig** 463 Identification and characterization of a human V λ 5 (T1) germline gene that encodes structurally unique λ light chains
- H. A. Runnels, D. A. Weber, J. C. Moore, L. E. Westerman and P. E. Jensen** 471 Intact proteins can bind to class II histocompatibility molecules with high affinity
- Li Yin, P. Schwartzberg, T. M. Scharton-Kersten, L. Staudt and M. Lenardo** 481 Immune responses in mice deficient in Ly-GDI, a lymphoid-specific regulator or Rho GTPases
- S. S. Khandekar, P. P. Brauer, J. W. Naylor, Hsiu-Ching Chang, P. Kern, J. R. Newcomb, K. P. Leclair, H. S. Stump, B. M. Bettencourt, E. Kawasaki, J. Banerji, A. T. Profy and B. Jones** 493 Affinity and kinetics of the interactions between an $\alpha\beta$ T-cell receptor and its superantigen and class II-MHC/peptide ligands
- 505 Forthcoming papers

NUMBER 7

- L. K. Felzien, M. G. Branden
and S. H. Benedict 507 Early phosphorylation of the retinoblastoma gene product regulates protein binding to the *c-fos* retinoblastoma control element during T cell activation
- E. D. Sheets, L. Chen
and N. L. Thompson 519 Decreased IgG-Fc γ RII dissociation kinetics in the presence of a protein antigen
- H. M. Shen, D. L. Cheo, E. Friedberg
and U. Storb 527 The inactivation of the XP-C gene does not affect somatic hypermutation or class switch recombination of immunoglobulin genes
- W. E. Barbeau, M. A. Novascone
and K. D. Elgert 535 Is celiac disease due to molecular mimicry between gliadin peptide-HLA class II molecule-T cell interactions and those of some unidentified superantigen?
- R. C. Williams Jr, C. C. Malone,
A. S. Kolaskar and U. Kulkarni-Kale 543 Antigenic determinants reacting with rheumatoid factor: epitopes with different primary sequences share similar conformation
- T. Endo, J. Radl and J. Mestecky 557 Structural differences among serum IgA proteins of chimpanzee, Rhesus monkey and rat origin
- 567 Forthcoming papers

NUMBER 8/9

- I. Fernandes, B. Frish, S. Muller
and F. Schuber 569 Synthetic lipopeptides incorporated in liposomes: *in vitro* stimulation of the proliferation of murine splenocytes and *in vivo* induction of an immune response against a peptide antigen
- Q. R. Huang, D. Morris
and N. Manolios 577 Identification and characterisation of polymorphisms in the promoter region of the human Apo-1/Fas (CD95) gene
- N. Nayeem, P. J. Barker,
R. M. Binns, J. Kanan
and B. Chain 583 Isolation and N-terminal sequence determination of a novel γ/δ T cell surface antigen
- D. J. Panka 593 Glycosylation is influential in murine IgG3 self-association
- M. Kjerrulf, B. Löwenadler,
C. Svanholm and N. Lycke 599 Tandem repeats of T helper epitopes enhance immunogenicity of fusion proteins by promoting processing and presentation
- L. Wang, M. Z. Radic, D. Siegel,
T. Chang, J. Bracy and U. Galili 609 Cloning of anti-Gal FABS from combinatorial phage display libraries: structural analysis and comparison of FAB expression in pComb3H and pComb8 phage
- S. Scheurer, K. Metzner, D. Haustein
and S. Vieths 619 Molecular cloning, expression and characterization of Pru a 1, the major cherry allergen
- I. Hordvik, C. De Vries Lindstrøm,
A.-M. Voie, A. Lilybert, J. Jacob
and C. Endresen 631 Structure and organization of the immunoglobulin M heavy chain genes in Atlantic salmon, *Salmo Salar*

- | | | |
|--|-----|---|
| S. S. Saini, W. R. Hein and
A. Kaushik | 641 | A single predominantly expressed polymorphic immunoglobulin V _H gene family, related to mammalian group, I, clan, II, is identified in cattle |
| A. De Guerra and J. Charlemagne | 653 | Genomic organization of the TcR β -chain diversity ($D\beta$) and joining ($J\beta$) segments in the rainbow trout: presence of many repeated sequences |
| H. Jiang, F. Xiong, S. Kong, T. Ogawa,
M. Kobayashi and J. O. Liu | 663 | Distinct tissue and cellular distribution of two major isoforms of calcineurin |
| Y. Tseng, M. L. Phillips
and V. N. Schumaker | 671 | Probing the structure of C1 with an anti-C1s monoclonal antibody: the possible existence of two forms of C1 in solution |
| | 681 | Forthcoming papers |

NUMBER 10

- | | | |
|--|-----|--|
| H. Illges, M. Braun, H. H. Peter and
I. Melchers | 683 | Analysis of the human CD21 transcription unit reveals differential splicing of exon 11 in mature transcripts and excludes alternative splicing as the mechanism causing solubilization of CD21 |
| M. Mutz, T. Hawthorne, S. Ferrone
and G. Pluschke | 695 | Titration calorimetry study of an anti-idiotypic antibody cascade in a human melanoma-associated antigen system |
| C. G. M. Magnusson, M. Björnstedt
and A. Holmgren | 709 | Human IgG is substrate for the thioredoxin system: differential cleavage pattern of interchain disulfide bridges in IgG subclasses |
| T. E. Mollnes, I. H. Andreassen,
K. Høgåsen, C. E. Hack and
M. Harboe | 719 | Effect of whole and fractionated intravenous immunoglobulin on complement <i>in vitro</i> |
| Y. Katakura, T. Kumamoto, Y. Iwai,
Y. Kurokawa, T. Omasa and
K.-I. Suga | 731 | Fluorescence polarization study of a salt bridge between a single chain Fv and its antigen ribonuclease A |
| J. Legoedec, P. Gasque, J.-F. Jeanne,
M. Scotte and M. Fontaine | 735 | Complement classical pathway expression by human skeletal myoblasts <i>in vitro</i> |
| C. F. Webb, S. Dou, K. L. Buchanan,
R. Resta, G. Smithson and E. A. Smith | 743 | Reassessment of germline heavy chain transcripts from two murine V _H families |
| | 751 | Forthcoming papers |

NUMBER 11

- | | | |
|--|-----|---|
| J. R. Frey, C. Coleclough, J. R. Kettman,
J. P. Hofmann, L. Kuhn and I. Lefkovits | 753 | Analysis of a randomly assorted cDNA library from BW 5147 lymphoid cells. Frequency estimates based on computer aided concatenation matching of 2D gel polypeptide products |
|--|-----|---|

E. A. Padlan	765	Does base composition help predispose the complementarity-determining regions of antibodies to hypermutation?
C. K. Osborn, V. Grigoriev and M. D. Crew	771	Modulation of class I major histocompatibility complex antigen cell-surface stability by transmembrane domain length variation
C. I. Pearson, D. E. Smilek, J. S. Danska and H. O. McDevitt	781	Induction of a heterogeneous TCR repertoire in (PL/JXSJL/J)F1 mice by myelin basic protein peptide Ac1-11 and its analog Ac1-11[4A]
F. Brard, S. Petit, G. Coquerel, D. Gilbert, S. Koutouzov, G. Perez and F. Tron	793	Modeling of anti-nucleosome immunoglobulin Fv domains: analysis of electrostatic interactions
Z. Prohászka, K. Németh, P. Csermely, F. Hudecz, G. Mező and G. Füst	809	Defensins purified from human granulocytes bind C1q and activate the classical complement pathway like the transmembrane glycoprotein gp41 of HIV-1
	817	Forthcoming papers

NUMBER 12/13

L. Bolliger, B. Johansson and E. Palmer	819	The short extracellular domain of the T cell receptor zeta chain is involved in assembly and signal transduction
V. Hanin, O. Déry, D. Boquet, M.-A. Sagot, C. Créminon, J.-Y. Couraud and J. Grassi	829	Importance of hydrophobic complementarity for the binding of the neuropeptide substance P to a monoclonal antibody: equilibrium and kinetic studies
F. Kishi and M. Tabuchi	839	Complete nucleotide sequence of human <i>NRAMP2</i> cDNA
C. M. Mueller, J. M. Minnerath and R. Jemmerson	843	B lymphocyte recognition of the self antigen mouse cytochrome <i>c</i> in different mouse strains: targeting of the same dominant epitope by naturally-occurring cells expressing distinct <i>V_H</i> genes
H. Stoiber, I. Frank, M. Spruth, M. Schwendinger, B. Mullauer, J. M. Windisch, R. Schneider, H. Katinger, I. Ando and M. P. Dierich	855	Inhibition of HIV-1 infection <i>in vitro</i> by monoclonal antibodies to the complement receptor type 3 (CR3): an accessory role for CR3 during virus entry?
S. Muthukkumar, C. Venkataraman, T. Woods and S. Bondada	865	Activation of syk in an immature B cell line does not require lyn activity
E. Rothermel, J. Zwirner, T. Vogt, S. Rabini and O. Götze	877	Molecular cloning and expression of the functional rat C5a receptor
Y. Katakura, T. Kumamoto, Y. Iwai, Y. Kurokawa, T. Omasa and K.-I. Suga	887	Fluorescence polarization study of a salt bridge between a single chain Fv and its antigen ribonuclease A
S.-H. Kim, D. G. Schindler, A. B. Lindner, D. S. Tawfik and Z. Eshhar	891	Expression and characterization of recombinant single-chain Fv and Fv fragments derived from a set of catalytic antibodies
X. H. Liang, H. H. Jiang and B. Levine	907	Expression of a biologically active antiviral antibody using a sindbis virus vector system

- | | | |
|---|-----|---|
| D. J. Goodman and S. Gerondakis | 919 | Simultaneous expression of germline $\gamma 1$ and ϵ immunoglobulin heavy chain transcripts in single murine splenic B-cells |
| M. Børretzen, J. B. Natvig and K. M. Thompson | 929 | Heterogeneous RF structures between and within healthy individuals are not related to HLA DRB1*0401 |
| K. Fuller and U. Storb | 939 | Identification and characterization of the murine Rag1 promoter |
| L. Jaso-Friedmann, J. H. Leary III and D. L. Evans | 955 | NCCRP-1: a novel receptor protein sequenced from Teleost nonspecific cytotoxic cells |
| N. Marano, M. Crawford and B. Govindan | 967 | Characterization of the detergent insolubility of the T cell receptor for antigen |
| | 977 | Forthcoming papers |

NUMBER 14

- | | | |
|--|------|--|
| D. Liberg, M. Sigvardsson and T. Leanderson | 979 | Oct proteins are qualitative rather than quantitative regulators of κ transcription |
| H. Xie, R. J. Seward and B. T. Huber | 987 | Cytokine rescue from glucocorticoid induced apoptosis in T cells is mediated through inhibition of $\text{I}\kappa\text{B}\alpha$ |
| V. S. Hohman, S. E. Stewart, C. E. Willett and L. A. Steiner | 995 | Sequence and expression pattern of J chain in the amphibian, <i>Xenopus laevis</i> |
| B. Maillère and M. Hervé | 1003 | The specificity of antibodies raised against a T cell peptide is influenced by peptide amidation |
| P. Kuo, A. Alban, D. Gebhard and B. Diamond | 1011 | Overexpression of <i>bcl-2</i> alters usage of mutational hot spots in germinal center B cells |
| M. G. Sensel, L. M. Kane and S. L. Morrison | 1019 | Amino acid differences in the N-terminus of $\text{C}_{\text{H}}2$ influence the relative abilities of IgG2 and IgG3 to activate complement |
| M. Oshima, M. Hayakari, J. L. Middlebrook and M. Zouhair Atassi | 1031 | Immune recognition of botulinum neurotoxin type A: regions recognized by T cells and antibodies against the protective H_C fragment (residues 855–1296) of the toxin |
| S. B. Haudek, H. Redl, G. Schlag and B. P. Giroir | 1041 | Complementary DNA (cDNA) sequence of baboon tumor necrosis factor alpha |
| | 1043 | Forthcoming papers |

NUMBER 15

- | | | |
|--|------|--|
| F. Velge-Roussel, M. Moretto, D. Buzoni-Gatel, I. Dimier-Poisson, M. Ferrer, J. Hoebeke and D. Bout | 1045 | Differences in immunological response to a <i>T. gondii</i> protein (SAG1) derived peptide between two strains of mice: effect on protection in <i>T. gondii</i> infection |
| A. Horn Montel, G. Hommel-Berrey and Z. Brahmi | 1055 | FAS-mediated cytotoxicity induces degradation of vesicular stomatitis virus RNA transcripts and reduces viral titer |

- J. J. Stewart, C. Y. Lee, S. Ibrahim, P. Watts, M. Shlomchik, M. Weigert and S. Litwin 1067 A Shannon entropy analysis of immunoglobulin and T cell receptor
- G. V. Gololobov, C. A. Rumbley, J. N. Rumbley, D. V. Schourov, O. I. Makarevich, A. G. Gabibov, E. W. Voss, Jr and L. S. Rodkey 1083 DNA hydrolysis by monoclonal anti-ssDNA autoantibody BV 04-01: origins of catalytic activity
- N. S. Green, G. Verdugo, M. E. Getman and M. D. Scharft 1095 IG V region hypermutation in B cell hybrids mimics *in vivo* mutation and allows for isolation of clonal variants

I Forthcoming papers

NUMBER 16/17

- C. D. Partidos and C. Kanse 1105 Specificity of the T-cell responses in covalently linked peptides each comprising of a T helper epitope
- I. Dalum, M. R. Jensen, K. Gregorius, C. M. Thomasen, H. I. Elsner and S. Mouritsen 1113 Induction of cross-reactive antibodies against a self protein by immunization with a modified self protein containing a foreign T helper epitope
- K. B. Vu, M. A. Ghahroudi, L. Wyns and S. Muyldermans 1121 Comparison of llama V_H sequences from conventional and heavy chain antibodies
- N. G. Saito and Y. Paterson 1133 Contribution of peptide backbone atoms to binding of an antigenic peptide to class I major histocompatibility complex molecule
- K. Tominaga, T. Kirikae and M. Nakano 1147 Lipopolysaccharide (LPS)-induced IL-6 production by embryonic fibroblasts isolated and cloned from LPS-responsive and LPS-hyporesponsive mice
- I. C. Nicholson, K. A. Lenton, D. J. Little, T. Decorso, F. T. Lee, A. M. Scott, H. Zola and A. W. Hohmann 1157 Construction and characterisation of a functional CD19 specific single chain Fv fragment for immunotherapy of B lineage leukaemia and lymphoma
- E. Lunde, B. Bogen and I. Sandlie 1167 Immunoglobulin as a vehicle for foreign antigenic peptides immunogenic to T cells
- B. B. Jrad and E. Bahraoui 1177 Linear and cyclic peptides mimicking the disulfide loops in HIV-2 envelope glycoprotein induced antibodies with different specificity
- E. Virts, D. Barritt, E. Siden and W. C. Raschke 1191 Murine mast cells and monocytes express distinctive sets of CD45 isoforms
- J. C. Almagro, I. Hernandez, M. del Carmen Ramirez and E. Vargas-Madrado 1199 The differences between the structural repertoires of V_H germ-line gene segments of mice and humans: implication for the molecular mechanism of the immune response
- U. Lamminmäki, B. O. Villoutreix, P. Jauria, P. Saviranta, M. Vihinen, L. Nilsson, O. Teleman and T. Lövgren 1215 Structural analysis of an anti-estradiol antibody

**M. Salmi, D. J. Smith, P. Bono,
T. Leu, J. Hellman, M.-T. Matikainen
and S. Jalkanen**

**1227 A mouse molecular mimic of human vascular adhesion
protein-1**

I Forthcoming papers

NUMBER 18

**K. A. Wilkinson, M. H. Vordermeier,
J. Kajtár, S. Jurcevic, R. Wilkinson,
J. Ivanyi and F. Hudecz**

**1237 Modulation of peptide specific T cell responses by
non-native flanking regions**

M. S. Freistadt and K. E Eberle

**1247 Physical association between CD155 and CD44 in human
monocytes**

**Y.-H. Chen, J.-N. Feng, G. Stöckl,
K. Hu and M. P. Dierich**

**1259 HIV-1 gp41 by a common immunological epitope
induces increased levels of antibodies against human
interferon- β in HIV-1 positive individuals**

**Y. Tokugawa, M. Koyama and
J. Silver**

**1263 A molecular basis for species differences in Thy-1
expression patterns**

**S.-W. Tsai, P. H. Poon and
V. N. Schumaker**

**1273 Expression and characterization of a 159 amino acid,
N-terminal fragment of human complement component
C1s**

S. Hande and T. Manser

**1281 Single amino acid substitutions in V_H CDR2 are sufficient
to generate or enhance the specificity of two forms of an
anti-arsonate antibody variable region for DNA**

**D.-B. Huang, C.-H. Chang,
C. Ainsworth, G. Johnson,
A. Solomon, F. J. Stevens and
M. Schiffer**

**1291 Variable domain structure of κ IV human light chain Len:
high homology to the murine light chain McPC603**

I Forthcoming Papers

III Index

Announcement

